

学術論文

[総説]

1. 桂弘和, 阪上雅史. 耳鼻咽喉科外来診療－私の工夫－. Entoni 2010 ; 113:1-4.
2. 桂弘和, 阪上雅史. 伝音性難聴の耳よりな話. Johns 2010;26:1033-1035.
3. 桂弘和, 阪上雅史. 連載 疾患と病態生理 外耳道炎 . Johns 2013;30:379-381.
4. 桂弘和, 阪上雅史. 鼓膜形成術－私はこうしている－. Entoni 2014 ; 171:31-35.
5. 桂弘和. 耳鼻咽喉科薬物療法 2015 外耳道湿疹耳介湿疹 . Johns 2015;26:1182-1183.
6. 三代康雄, 桂弘和, 任智美, 異恵美子, 都築建三, 阪上雅史. 小児難聴に対する手術治療. 兵庫医科大学医学会雑誌 2015;39:17-21)

[原著]

(欧文)

1. Obata, K., Yamanaka, H., Kobayashi, K., Dai, Y., Mizushima, T., Katsura, H., Fukuoka, T., Tokunaga, A. and Noguchi, K. Role of the MAPK activation in injured and intact primary afferent neurons for mechanical and heat hypersensitivity after spinal nerve ligation. J. Neurosci., 24, 10211-22. 2004
2. Katsura, H., Sakagami, M., Tsuji, K., Muto, T., Okunaka, M., Mishiro, Y. and Fukazawa, K. Reevaluation of bilateral same-day surgery for bilateral perforated chronic otitis media. Otol Neurotol., 26, 842-5. 2005
3. Obata, K., Katsura, H., Mizushima, T., Yamanaka, H., Kobayashi, K., Dai, Y., Fukuoka, T., Tokunaga, A., Tominaga, M. and Noguchi, K. TRPA1 induced in sensory neurons contributes to cold hyperalgesia after inflammation and nerve injury. J. Clin. Invest., 115, 2393-2401. 2005
4. Obata, K., Katsura, H., Sakurai, J., Kobayashi, K., Yamanaka, H., Dai, Y., Fukuoka, T. and Noguchi, K. Suppression of the p75 neurotrophin receptor in uninjured sensory neurons reduces neuropathic pain after nerve injury. J. Neurosci., 26, 11974-11986. 2006

5. Obata, K., Yamanaka, H., Kobayashi, K., Dai, Y., Mizushima, T., Katsura, H., Fukuoka, T., Tokunaga, A. and Noguchi, K. The effect of site and type of nerve injury on the expression of brain-derived neurotrophic factor in the dorsal root ganglion and on neuropathic pain behavior. *Neuroscience*, 137, 961–970. 2006
6. Katsura, H., Obata, K., Mizushima, T., Yamanaka, H., Kobayashi, K., Dai, Y., Fukuoka, T., Tokunaga, A., Sakagami, M., and Noguchi, K. Antisense knock down of TRPA1, but not TRPM8, alleviates cold hyperalgesia after spinal nerve ligation in rats. *Exp. Neurol.*, 200, 112–123. 2006
7. Mizushima, T., Obata, K., Katsura, H., Yamanaka, H., Kobayashi, K., Dai, Y., Fukuoka, T., Tokunaga, A., Mashimo, T. and Noguchi, K. Noxious cold stimulation induces MAPK activation in TRPA1- and TRPM8-containing small sensory neurons. *Neuroscience*, 140, 1337–48. 2006
8. Katsura, H., Tsuzuki, K., Noguchi, K. and Sakagami, M. Differential Expression of Capsaicin-, Menthol-, and Mustard Oil-Sensitive Receptors in Naive Rat Geniculate Ganglion Neurons. *Chem Senses*, 31, 681–8. 2006
9. Katsura, H., Obata, K., Mizushima, T., Sakurai, J., Kobayashi, K., Yamanaka, H., Dai, Y., Fukuoka, T., Sakagami, M. and Noguchi, K. Activation of Src-family kinases in spinal microglia contributes to mechanical hypersensitivity after nerve injury. *J. Neurosci*, 26, 8680–8690. 2006
10. Katsura, H., Obata, K., Mizushima, T., Sakurai, J., Kobayashi, K., Yamanaka, H., Dai, Y., Fukuoka, T., Sakagami, M. and Noguchi, K. Activation of extracellular signal-regulated protein kinases 5 in primary afferent neurons contributes to heat and cold hyperalgesia after inflammation. *J. Neurochem.*, 102, 1614–1624. 2007
11. Obata, K., Katsura, H., Mizushima, T., Sakurai, J., Kobayashi, K., Yamanaka, H., Dai, Y., Fukuoka, T. and Noguchi, K. Roles of extracellular signal-regulated protein kinases 5 in spinal microglia

- and primary sensory neurons for neuropathic pain. *J. Neurochem.*, 102, 1569–1584. 2007
12. Mizushima, T., Obata, K., Katsura, H., Sakurai, J., Kobayashi, K., Yamanaka, H., Dai, Y., Fukuoka, T., Mashimo, T. and Noguchi, K. Intensity-dependent activation of extracellular signal-regulated protein kinases 5 in sensory neurons contributes to pain hypersensitivity. *J Pharmacol. Exp. Ther.*, 321, 28–34. 2007
13. Katsura H, Obata K, Miyoshi K, Kondo T, Yamanaka H, Kobayashi K, Dai Y, Fukuoka T, Sakagami M, Noguchi K. Transforming growth factor-activated kinase 1 induced in spinal astrocytes contributes to mechanical hypersensitivity after nerve injury. *Glia.*, 56, 723–33. 2008
14. Miuchi S, Sakagami M, Tsuzuki K, Noguchi K, Mishiro Y, Katsura H. Taste disturbance after stapes surgery – clinical and experimental study. *Acta Otolaryngol.*, 129 (Suppl 562), 71–8. 2009
15. Sakaguchi A., Katsura, H., Nin T., Adachi O., Mishiro Y., Sakagami, M. Preoperative Assessment of Taste Function in Patients with Middle Ear Disease. *Otol Neurotol.*, 33, 761–4. 2012
16. Sakaguchi A., Nin T., Katsura, H., Adachi O., Mishiro Y., Sakagami, M. Trigeminal and taste sensation of the tongue after middle ear surgery., *Otol Neurotol.*, 34:1688–93. 2013
17. Katsura H, Mishiro Y, Adachi O, Ogino K, Daimon T, Sakagami M. Long-term deterioration of bone-conduction hearing level in patients with labyrinthine fistula. *Auris Nasus Larynx.* 2014;41:6–9
18. Takahashi-Tatsumi Emiko, Mishiro Yasuo, Katsura Hirokazu, Sakaguchi Akiko, Sakagami Masafumi. Longitudinal follow-up after pediatric myringoplasty:long-term outcome is defined at 12 months. *Otology&neurotology : official publication of the American Otological Society, American Neurotology Society [and]European Academy of Otology and Neurotology* 2014/01 35(1):126–8
19. Mishiro Yasuo, Katsura Hirokazu, Kitahara Tadashi, Sakagami Masafumi. The recurrence rate of pars tensa retraction cholesteatoma

- and a new staging system. International Journal of Otolaryngology, Head and Neck Surgery 2014;3(1):1-3
20. Katsura H, Mishiro Y, Ikehata M, Tsuzuki K, Sakagami Masafumi. Evaluation of prognostic factors for perforation closure rate in patient with chronic otitis media. International Journal of Otolaryngology, Head and Neck Surgery 2014;3:307-310
 21. Tatsumi E, Katsura H, Kobayashi K, Yamanaka H, Tsuzuki K, Noguchi K, Sakagami M. Change in transient receptor potential channels in the rat geniculate ganglion after chorda tympani nerve injury. Neuroreport. 2015;30;26(14):856-61
 22. Ikehata M, Ohta S, Mishiro Y, Katsura H, Miuchi S, Tsuzuki K. Sakagami M. Usefulness of the Saccharin Test for Assessment of Eustachian Tube Function in Patients With Chronic Otitis Media With Perforation. Otol Neurotol 2017;38(1):60-5
 23. Maeda E, Katsura H, Nin T, Sakaguchi-Fukunaga A, Mishiro Y, Sakagami M. Change of somatosensory function of the tongue caused by chorda tympani nerve disorder after stapes surgery. Laryngoscope 2018;128(3) 701-06

(和文)

1. 桂 弘和, 辻 恒治郎, 武藤俊彦, 寺田友紀, 佐伯暢生, 阪上雅史 当科における一側聴耳の手術の検討. 日本耳鼻咽喉科学会会報, 107, 12-17 2004
2. 桂 弘和, 阪上雅史 ラット鼓索神経切断モデルにおける神経栄養因子の発現変化. Facial. N. Res. Jpn., 27, 117-119 2007
3. 桂 弘和, 小笠原 寛 神経線維腫症1型に合併した内頸静脈拡張病変の1例. 耳鼻咽喉科頭頸部外科 80, 875-8 2008
4. 三代康雄, 北原糺, 足達治, 坂直樹, 桂弘和, 橋本美咲子, 阪上雅史. 多変量解析による耳小骨再建術後聴力予後因子. 耳鼻臨床 103:523-8 2010
5. 桂 弘和, 阪上雅史. 当科での中耳手術による顔面神経麻痺について. Facial. N. Res. Jpn., 30, 60-62 2010
6. 坂口明子, 三代康雄, 足達治, 桂 弘和, 阪上雅史. 側頭骨に発生した軟骨芽細胞腫例. 耳鼻臨床 103:807-812 2010

7. 桂 弘和, 武藤俊彦, 三代康雄, 足達 治, 阪上雅史. 当科での先天性耳小骨奇形の術後成績について. *Otology Japan* 103 21:795-799 2011
8. 三代 康雄, 北原 純, 足達 治, 桂 弘和, 坂 直樹, 大田 重人, 高橋 恵美子, 阪上 雅史. 中耳手術術後 10 年目の聴力成績. *Otology Japan* 22:137-140 2012
9. 荻野 公一, 三代 康雄, 桂 弘和, 大田 重人, 坂 直樹, 阪上 雅史. 自家耳介軟骨を用いた耳小骨再建の長期成績. *耳鼻咽喉科頭頸部外科* 84, 483-6 2012
10. 坂口明子, 三代康雄, 足達治, 桂 弘和, 阪上雅史. 中耳手術後の舌知覚閾値、自覚症状の推移について. *耳鼻咽喉科ニューロサイエンス*, 27, 71-75 2013. 4
11. 坂口明子, 任智美, 桂弘和, 三代康雄, 阪上雅史. 中耳手術後の舌知覚閾値. *耳鼻咽喉科ニューロサイエンス*. 2013;27:71-5
12. 大田重人, 桂弘和, 三代康雄, 阪上雅史. ENoG (従来法と正中法) による累積治癒率の比較と減荷術適応基準の検討. *Facial Nerve Research Japan* 2013;33:86-8
13. 桂弘和, 三代康雄, 池畠美樹, 阪上雅史. ハンドピース型 CO₂ レーザーを使用したアブミ骨手術の検討. *耳鼻臨床* 107:783-787 2014
14. 大田重人, 池畠美樹, 桂弘和, 三代康雄, 阪上雅史. 両側性顔面神経麻痺のENoG 検査-基準値を用いた評価-. *Facial N Res Jpn* 2014;34:145-8
15. 松田圭二, 東野哲也, 後藤隆史, 小島博己, 小森学, 比野平泰之, 小林一女, 山本裕, 森田由香, 阪上雅史, 三代康雄, 桂弘和, 奥野妙子. 中耳真珠腫進展度分類(2010)を用いた多施設共同研究中間報告. *Otology Japan* 24:822-827 2014
16. 桂弘和, 三代康雄, 大田重人、池畠美樹, 都築建三、阪上雅史. 癒着鼓膜に対して軟骨を用いた鼓室形成術の検討. *Otology Japan* 25:269-244 2015
17. 大田重人, 桂 弘和, 美内慎也, 池畠美樹, 赤澤和之, 三代康雄, 阪上雅史. 瞬目顔面筋反射による病的共同運動の評価基準と早期診断の検討. *Facial N Res* 2018;37:66-68
18. 美内慎也, 大田重人, 三代康雄, 桂 弘和, 池畠美樹, 阪上雅史. 顔面神経減荷術の適応と実際 当科における顔面神経減荷術と非手術例における検討. *Facial N Res* 2018;37:37-39